


## D36726 LOADER CONTROL VALVE


REF.	PART NO.	DESCRIPTION	REQ'D
D	36726	VALVE - hydraulic control (See page 53) Parker series VDP-22	1
1	D	NSS BODY - valve (Use D36826)	1
		SPOOL ASSEMBLY - four position (Color code - black or letter code - W) .737" to .73709"	1
D	37055	SPOOL ASSEMBLY - four position (Color code - blue or letter code - X) .7371" to .73719"	1
D	37056	SPOOL ASSEMBLY - four position (Color code - yellow or letter code - Y) .7372" to .73729"	1
D	37057	SPOOL ASSEMBLY - four position (Color code - green or letter code - Z) .7373" to .7374"	1
2	D	37058 KIT - D37054 spool assembly	1
	D	37059 KIT - D37055 spool assembly	1
	D	37060 KIT - D37056 spool assembly	1
	D	37061 KIT - D37057 spool assembly	1
3	NSS	EYE - spool	1
4	NSS	SEAL - "O" ring, spool eye	1
5	NSS	SPOOL - four position	1
6	NSS	SPACER - centering spring, rear	1
7	A	16882 SPRING - centering	1
8	NSS	SPACER - centering spring, front	1
9	NSS	STUD - detent barrel	1
10	D	33859 BARREL - detent	1
11	D	33858 LINK - detent barrel	1
12	138-	2012 PIN - barrel link, rear	1
13	138-	2013 PIN - barrel link, front	1
14	A	16877 SEAL - "O" ring, outer	1
15	R	17547 SEAL - "O" ring, inner	1
16	D	33856 RETAINER - "O" ring, rear	1
17	D	33857 RETAINER - "O" ring, front	1
18	D	32592 CAP AND SLEEVE ASSEMBLY	1
19	NSS	SLEEVE - detent	1
20	NSS	CAP - front	1
21	211-	5 BALL - steel (3/16" dia.)	6
22	A	16852 RETAINER - ball	1
23	D	31434 SPRING - detent	1
24	A	16884 CAP - rear	1
25	178-	28 SCREW - set, socket head (1/4" - 20 NC x 1/2")	1
26	D	37152 GLAND - spool	1
27	A	14527 RING - wiper	1
28	D	37153 RETAINER - wiper ring	1
29	R	17547 SEAL - "O" ring, gland (Front)	1
30	D	37156 SEAL - "O" ring, gland (Rear)	1
31	D	37076 SLEEVE - spool	1
32	D	37050 SPOOL ASSEMBLY - three position (Color code - black or letter code - W) .737" to .73709"	2
	D	37051 SPOOL ASSEMBLY - three position (Color code - blue or letter code - X) .7371" to .73719"	2
	D	37052 SPOOL ASSEMBLY - three position (Color code - yellow or letter code - Y) .7372" to .73729"	2



## D36726 LOADER CONTROL VALVE


REF.	PART NO.	DESCRIPTION	REQ'D
D	37053	SPOOL ASSEMBLY - three position (Color code - green or letter code - Z) .7373" to .7374"	
33	A 14529	CAP - three position spool	2
34	A 13190	SNAP RING - spring retainer	1
35	A 14533	RETAINER - spring	1
36	A 25286	WASHER - special	2
37	A 14534	SPRING - spool return	1
38	A 14535	SPACER - three position spool	1
39	R 17547	SEAL - "O" ring, spacer	1
40	NSS	SPOOL - three position	1
41	A 25281	GLAND AND WIPER	1
42	R 17547	SEAL - "O" ring, gland	1
43	218- 5156	PLUG - secondary relief	2
44	218- 5006	SEAL - "O" ring	1
45	D 37072	CAP - secondary relief	2
46	218- 5007	SEAL - "O" ring, relief cap (Large)	2
47	D 26265	SEAL - "O" ring, relief cap (Center)	2
48	D 37071	RING - backup, center "O" ring	2
49	D 37149	SEAL - "O" ring, relief cap (Small)	2
50	D 37070	RING - backup, small "O" ring	4
51	16917	SHIM - spring guide	UAR
52	D 37073	GUIDE - spring	2
53	D 37155	SEAL - "O" ring, spring guide	2
54	D 37147	RING - backup, spring guide	2
55	D 37074	PLUNGER - relief valve	2
56	D 37148	SPRING - relief valve	2
57	D 37075	SEAT - relief valve	2
58	D 37067	SPRING - poppet	2
59	D 37068	POPPET - check valve	2
60	D 37069	SLEEVE - check seat	2
61	D 20756	NUT - acorn, main relief valve	1
62	D 26270	WASHER - special	2
63	82- 528	SCREW - adjusting, main relief valve	1
64	25- 155	NUT - hex., jam (5/16" - 24 NF)	1
65	D 26268	SPRING - pilot	1
66	D 26267	PLUNGER - relief valve	1
67	A 25291	CAP - relief valve	1
68	218- 5006	SEAL - "O" ring, relief valve cap (Large)	1
69	D 26265	SEAL - "O" ring, relief valve cap (Small)	1
70	D 26264	RING - backup, small "O" ring	1
71	D 26266	SEAT - relief valve	1
72	D 26261	SPRING - relief valve	1
73	D 37062	POPPET ASSEMBLY	1
74	NSS	PLUNGER - poppet	1
75	NSS	SCREEN - poppet	1
76	D 37063	SEAT - poppet	1
77	D 37064	SLEEVE - poppet seat	1
78	D 26265	SEAL - "O" ring, sleeve	1
79	D 26264	RING - backup, D26265 seal	1
80	D 37065	SLEEVE - drain	1
81	218- 5156	PLUG - main relief valve	1
82	218- 5006	SEAL - "O" ring, 218-5156 plug	1
83	D 37066	CAP - check valve	4
84	218- 5007	SEAL - "O" ring, check valve cap (Large)	4
85	D 26265	SEAL - "O" ring, check valve cap (Center)	4
86	D 37071	RING - backup, center "O" ring	2

(Con't on next page)




## D36726 LOADER CONTROL VALVE

REF.	PART NO.	DESCRIPTION	REQ'D
87 D	37149	SEAL - "O" ring, check valve cap (Small)	2
88 D	37070	RING - backup, small "O" ring	4
89 D	37067	SPRING - check valve	2
90 D	37068	POPPET - check valve	2
91 D	37069	SLEEVE - check seat	2
92 218-	5156	PLUG - valve port	1
93 218-	5006	SEAL - "O" ring, 218-5156 plug	1
94 D	38825	ADAPTER - valve port	1
95 218-	5010	SEAL - "O" ring, D38825 adapter	1
96 221-	12	PLUG - pipe, sq. hd. (1/4" NPT)	1
97 218-	5160	PLUG - valve port (If used)	1
98 218-	5010	SEAL - "O" ring, 218-5160 plug	1
99 D	35401	FITTING - carryover (If used)	1
100 218-	5010	SEAL - "O" ring (Large)	1
101 A	25590	SEAL - "O" ring (Small)	1



BN3063



BN3663


## PUMP DRIVE

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31254	PUMP - hydraulic (Parts list p. 35)	1
2 13-	828	HHCS - 1/2" - 13 NC x 1-3/4"	2
3 92-	8	WASHER - med. sect. lock (1/2")	2
D	31108	COUPLING ASSEMBLY - pump to shaft	1
4	NSS	COUPLING	1
5 G	46150	SNAP RING - D31108 coupling	1
6 D	30569	SHAFT - pump drive	1
7 A	35558	COUPLING - flexible	1
8 G	36905	BLOCK AND BUSHING - flex. coupling	4
9 VT	3340	WASHER - coupling bolt (29/64" I.D. x 3/4" O.D. x 1/16" thick)	4
10 13-	724	HHCS - 7/16" - 14 NC x 1-1/2"	4
11 92-	7	WASHER - med. sect. lock (7/16")	4
12 A	35673	NUT - fan drive pulley	1
13 G	11342	PULLEY - fan and gen. drive	1


## LIFT CYLINDER

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31463	CYLINDER - lift, R.H. (3" I.D. x 31-1/2" stroke)	1
D	31464	CYLINDER - lift, L.H. (3" I.D. x 31-1/2" stroke)	1
D	37353	KIT - cyl. packing	1
2 131-	15	NUT - lock, 3/4" - 16 NF (If used)	1
3 D	28374	PACKING - piston	1
4 D	27706	WIPER - piston rod	1
5 D	27878	SEAL - "O" ring, wiper	2
6 O	8347	SEAL - "O" ring, tube	2
7 D	28049	RING - backup, tube seal (When stock is exhausted use D36093)	1
7A D	36093	RING - backup, tube seal	1
8 D	28494	SEAL - rod, three piece (Use D36969)	1
8A D	36969	SEAL - rod, one piece	1
9 *D	28498	RING - backup, rod seal	1-3
10 138-	90	PIN - roll (3/16" x 5/8") If used	1
11 D	29306	SCREW - cap, special (3/4" - 16 NF x 2-1/2") If used	1
11A D	34666	WASHER - special, if used	1
12 D	31461	TUBE - R.H. cylinder	1
13 D	31462	TUBE - L.H. cylinder	1
14 D	30930	BUSHING - end, 1-7/8" O.D. (If used)	2
	30613	BUSHING - end, 1-3/4" O.D. (If used)	2
15 219-	1	FITTING - grease, str. (1/8" NPT)	1
16 D	28366	PISTON - half, closed end	1
17 D	28365	PISTON - half, rod end	1
18 D	28048	GLAND - packing	1
19 D	31095	ROD - piston (1-1/2" dia.) When stock is exhausted use 1-D32145 rod and 1-D29306 cap screw	1
20 D	32145	ROD - piston (1-1/2" dia.)	1
21 D	30929	BUSHING - piston rods	1

\*Not used on latest production.



BN2663



BN42965




## DUMP CYLINDER

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31100	CYLINDER - dump, R.H. (2-1/2" I.D. x 20" stroke)	1
D	31101	CYLINDER - dump, L.H. (2-1/2" I.D. x 20" stroke)	1
D	37352	KIT - cyl. packing	1
2 D	23739	NUT - lock, 3/4" - 16 NF (If used)	1
3 D	28373	PACKING - piston	1
4 D	27878	SEAL - "O" ring, wiper	2
5 D	27706	WIPER - piston rod	2
6 O	10984	SEAL - "O" ring, tube	1
7 D	27856	RING - backup, tube seal (When stock is exhausted, use D36092)	1
7A D	36092	RING - backup, tube seal	1
8 D	28494	SEAL - rod, three piece (Use D36969)	1
8A D	36969	SEAL - rod, one piece	1
9 *D	28498	RING - backup, rod seal	1-3
10	138-90	PIN - roll (3/16" x 5/8) If used	1
11 D	29306	SCREW - cap, special (3/4" - 16 NF x 2-1/2") If used	1
11A D	34666	WASHER - special (If used)	1
12 D	31098	TUBE - R.H. cyl.	1
13 D	31099	TUBE - L.H. cyl.	1
14 D	31511	BUSHING - cyl. tube	2
15 D	28364	PISTON - half, closed end	1
16 D	28363	PISTON - half, rod end	1
17 D	27999	GLAND - packing	1
18 D	31094	ROD - piston (1-1/2" dia.) When stock is exhausted, use 1 - D32146 rod and 1 - D29306 cap screw	1
19 D	32146	ROD - piston (1-1/2" dia.)	1
20 D	30929	BUSHING - piston rods	1


\*Not used on latest production.

## D38367 DROTT CLAM CYLINDER

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	38367	CYLINDER - clam (3-1/2" I.D. x 8.10" stroke)	1
D	35644	KIT - cylinder packing	1
2 D	35645	NUT - nylon self-locking (1-1/8" - 16 NF)	1
3 A	18693	RING - wear	1
4 O	8346	SEAL - "O" ring	1
5 A	18684	PACKING - piston	1
6 A	18686	WASHER - leather	2
7 A	18687	SEAL - "O" ring	1
8 VT	2991	SEAL - "O" ring	1
9 A	18690	RING - wiper, piston rod	1
10 D	38369	TUBE - cylinder	1
11 D	38585	ROD - piston	1
12 A	18682	PISTON - half, closed end	1
13 D	35619	PISTON - half, rod end	1
14 A	18689	GLAND - cylinder	1



BN3663



BN763


## HYDRA-LEVELING® CYLINDER

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31225	CYLINDER - hydra-leveling, 3" I.D. x 9-15/16" stroke (Used before ldr. sn. 4110090)	1
1A D	36882	CYLINDER - hydra-leveling, 3" I.D. x 9-15/16" stroke (Used on ldr. sn. 4110090 and after)	1
D	37355	KIT - cyl. packing	1
2 131-19		NUT - lock (1" - 14 NF)	1
3 D	28374	PACKING - piston	1
4 A	14515	SEAL - "O" ring, wiper	2
5 D	27432	WIPER - piston rod	2
6 O	8347	SEAL - "O" ring, tube	1
7 D	28049	RING - backup, tube seal (When stock is exhausted, use D36093)	1
7A D	36093	RING - backup, tube seal	1
8 D	28495	SEAL - rod, three piece (Use D36970)	1
8A D	36970	SEAL - rod, one piece	1
9 *D	28499	RING - backup, rod seal	1-3
10 138-90		PIN - roll (3/16" x 5/8") If used	1
11 D	31230	TUBE - cylinder (D31225 cyl. only)	1
11A D	36883	TUBE - cylinder (D36882 cyl. only)	1
12 D	30930	BUSHING - end, 1-7/8" O.D. (If used)	2
	30613	BUSHING - end, 1-3/4" O.D. (If used)	2
13 219-55		FITTING - grease, 90° (1/8" NPT)	1
14 D	28896	PISTON - half, closed end	1
15 D	28897	PISTON - half, rod end	1
16 D	28895	GLAND - packing	1
17 D	31227	ROD - piston (1-3/4" dia.)	1
18 D	30929	BUSHING - 1-7/8" O.D., if used	1
	30613	BUSHING - 1-3/4" O.D., if used	1
19 D	36505	WASHER - special, if used	1


## HYDRAULIC OIL FILTER

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31338	FILTER - hyd. oil (Early production) With metal element (Use 1-D32254 filter and 2-221-65 bushings)	1
2 D	31424	HEAD - D31338 filter (Use 1-D31874 head, 1-D32212 kit, and 2-221-65 bushings)	1
3 R	20645	HOUSING - filter	1
4 D	32211	KIT - element, D31338 filter	1
5	NSS	ELEMENT - metal	1
6 O	9018	AB SEAL - "O" ring, element	1
7 O	10021	AB SEAL - "O" ring, cap	1
8 D	32254	FILTER - hyd. oil (Late production) With paper element	1
9 D	31874	HEAD - D32254 filter	1
10 R	20645	HOUSING - filter	1
11 D	32212	KIT - element, D32254 filter	1
12	NSS	ELEMENT - paper	1
13 O	9018	AB SEAL - "O" ring, element	1
14 O	10021	AB SEAL - "O" ring, cap	1
15 13-816		HHCS - 1/2" - 13 NC x 1"	2
16 92-8		WASHER - med. sect. lock (1/2")	2
17 195-33		WASHER - plain (1/2")	2

\*Not used on latest production.



BN 660510




BN 660262

## DECALS


REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31443	KIT - decal, basic tractor	1
2 D	31444	KIT - decal, loader	1
3 D	31445	KIT - decal, backhoe	1

1400 LB. REAR COUNTERWEIGHT  
(BACKHOE REMOVED)

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31204	COUNTERWEIGHT - 1400 lbs.	1
2 D	37134	ARM - support, R.H.	1
3 D	37135	ARM - support, L.H.	1
4 13-	16104	HHCS - 1" - 8 NC x 6-1/2"	4
5 131-	359	NUT - hex., lock (1" - 8 NC)	4
6 D	37534	BRACKET - attaching, top	1
7 13-	16168	HHCS - 1" - 8 NC x 10-1/2"	2
8 131-	359	NUT - hex, lock (1" - 8 NC)	2
9 D	38068	PIN - attaching	2
10 D	33805	PIN - klick	2



BN9764



BN9864

## BACKHOE SEAT

REF.	PART NO.	DESCRIPTION	REQ'D
D	31309	SEAT ASSEMBLY	1
1	NSS	SEAT - padded pan	1
2	31308	SLIDE - upper	1
3	31306	SPACER	2
4	13- 528	HHCS - front (5/16" - 18 NC x 1-3/4")	2
5	13- 510	HHCS - rear (5/16" - 18 NC x 5/8")	2
6	32380	ROD ASSEMBLY - support	1
7	132- 95	PIN - cotter (3/16" dia. x 1-1/2" long)	1
8	138- 207	PIN - roll (1/2" dia. x 2-1/2" long)	1
9	D 25773	SPRING - seat lock	1
10	B 18275	WASHER - 1-1/32" I.D. x 1-1/2" O.D. x 7/32" thick	1

## MOUNTING PARTS (STANDARD)


REF.	PART NO.	DESCRIPTION	REQ'D
1	D 30723	ARM - support, R.H. (Used before backhoe sn. 4103251) When stock is exhausted, use 1-D35940 and 1-D34027	1
1A	D 35940	ARM - support, R.H. (Used on backhoe sn. 4103251 and after)	1
2	D 30722	ARM - support, L.H. (Used before backhoe sn. 4103251) When stock is exhausted, use 1-D35941 and 1-D34027	1
2A	D 35941	ARM - support, L.H. (Used on backhoe sn. 4103251 and after)	1
3	13- 1236	HHCS - 3/4" - 10 NC x 2-1/4"	1
4	192- 167	WASHER - heavy sect. lock (3/4") If used	2
5	25- 1012	NUT - hex. (3/4" - 10 NC) If used	2
5A	131- 357	NUT - hex., lock (3/4" - 10 NC) If used	2
6	D 30714	WASHER - cone (Used before backhoe sn. 4103251)	2
7	D 31495	NUT - wrench and hammer (Used before backhoe sn. 4103251)	2
7A	D 34027	NUT - star (Used on backhoe sn. 4103251 and after)	2
8	D 30726	BRACE - stabilizer, R.H.	2
9	D 30730	BRACE - stabilizer, L.H.	1
10	D 24476	HHCS - 1-1/4" - 7 NC x 3-1/4" (When stock is exhausted, use items 10A, 11A and 11B)	1
10A	D 37615	HHCS - 1-1/4" - 7 NC x 3-1/4" (Special)	2
11	25- 1620	NUT - hex. (1-1/4" - 7 NC) If used	2
11A	25- 1220	NUT - slotted (1-1/4" - 7 NC) If used	2
11B	132- 157	PIN - cotter (1/4" x 2-1/2")	2
12	D 30716	HHCS - 1-1/4" - 7 NC x 3"	2
13	D 30717	WASHER - cone	2
14	D 31496	NUT - wrench and hammer	2






# MOUNTING PARTS (WITH DRAFT-O-MATIC®) MOUNTING PARTS (WITH P.T.O.)

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31721	ARM - support, R.H. (Draft-O-Matic only)	
		Used before backhoe sn. 4103251 (When stock is exhausted, use 1-D35943 and 1-D34027)	
D	32735	ARM - support, R.H. (PTO) Used before backhoe sn. 4103251 (When stock is exhausted, use 1-D36044 and 1-D34027)	1
2 D	35943	ARM - support, R.H. (Draft-O-Matic only)	1
		Used on backhoe sn. 4103251 thru 4104526	
D	36044	ARM - support, R.H. (PTO) Used on backhoe sn. 4103251 thru 4104526	1
3 D	37081	ARM - support, R.H. (Draft-O-Matic only)	1
		Used on backhoe sn. 4104527 and after	
D	36980	ARM - support, R.H. (PTO) Used on backhoe sn. 4104527 and after	1
4 D	31722	ARM - support, L.H. (Draft-O-Matic only)	1
		Used before backhoe sn. 4103251 (When stock is exhausted, use 1-D35944 and 1-D34027)	
D	32734	ARM - support, L.H. (PTO) Used before backhoe sn. 4103251 (When stock is exhausted, use 1-D36045 and 1-D34027)	1
5 D	35944	ARM - support, L.H. (Draft-O-Matic only)	1
		Used on backhoe sn. 4103251 thru 4104526	
D	36045	ARM - support, L.H. (PTO) Used on backhoe sn. 4103251 thru 4104526	1
6 D	37082	ARM - support, L.H. (Draft-O-Matic only)	1
		Used on backhoe sn. 4104527 and after	
D	36981	ARM - support, L.H. (PTO) Used on backhoe sn. 4104527 and after	1
7 D	30714	WASHER - cone (Used before backhoe sn. 4103251)	2
8 D	31495	NUT - wrench and hammer (Used before backhoe sn. 4103251)	2
9 D	34027	NUT - star (Use on loader sn. 4103251 and after)	2
10 D	31725	BRACE - stabilizer, R.H. (Draft-O-Matic only)	2
11 D	32731	BRACE - stabilizer, R.H. (PTO)	1
12 D	31726	BRACE - stabilizer, L.H. (Draft-O-Matic only)	1
13 D	32732	BRACE - stabilizer, L.H. (PTO)	1
14 D	32520	STUD ASSEMBLY - in ldr. frame	2
15 D	30717	WASHER - cone	4
16 D	31496	NUT - wrench and hammer	2
17 D	30716	HHCS - 1-1/4" - 7 NC x 4-1/2"	2
18 25-	1620	NUT - hex. (1-1/4" - 7 NC)	2
19 D	31718	LINK - transport, R.H.	1
20 D	31720	LINK - transport, L.H.	1
21 B	18206	SNAP RING - support studs	2-4
22 25-	1010	NUT - hex., 5/8" - 11 NC (If used)	2
23 92-	10	WASHER - med. sect. lock (5/8") If used	2
24 95-	10	WASHER - std. wrot (5/8") If used	2



BN449A5




BN501A5

### SPECIAL MOUNTING PARTS (FOR USE WITH 31 LOADER)


REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31158	ARM - support, R.H. (Used with cone washer and wrench and hammer nut) See p. 75 (When stock is exhausted, use 1-D37542 and 1-D34027)	1
2 D	37542	ARM - support, R.H. (Used with star nut) See p. 75	1
3 D	31159	ARM - support, L.H. (Used with cone washer and wrench and hammer nut) See p. 75 (When stock is exhausted, use 1-D37543 and 1-D34027)	1
4 D	37543	ARM - support, L.H. (Used with star nut) See p. 75	1
5 D	31165	BRACE - stabilizer, R.H. (For hardware see p. 75)	1
6 D	31163	BRACE - stabilizer, L.H. (For hardware see p. 75)	1

### SPECIAL MOUNTING PARTS (FOR USE ON W-3 OR 530SL LOADER)

REF.	PART NO.	DESCRIPTION	REQ'D
1 D	31162	ARM - support, R.H. (Used with cone washer and wrench and hammer nut) See p. 75 (When stock is exhausted, use 1-D37545 and 1-D34027)	1
2 D	37545	ARM - support, R.H. (Used with star nut) See p. 75	1
3 D	31161	ARM - support, L.H. (Use with cone washer and wrench and hammer nut) See p. 75 (When stock is exhausted, use 1-D37544 and 1-D34027)	1
4 D	37544	ARM - support, L.H. (Used with star nut) See p. 75	1
5 D	31165	BRACE - stabilizer, R.H. (For hardware see p. 75)	1
6 D	31163	BRACE - stabilizer, L.H. (For hardware see p. 75)	1



BN 660511



BN 435665

# 530 CONSTRUCTION KING BACKHOE 79B

## MOUNTING PARTS FOR MODEL 32-S BACKHOE (WITH P.T.O. AND/OR DRAFT-O-MATIC)

REF.	PART NO.	DESCRIPTION	REQ'D.
1	D 37619	ARM - support R.H.	1
2	D 37620	ARM - support L.H.	1
3	13- 1296	HHCS - 3/4" - 10 NC x 6" long	2
4	131- 357	NUT - lock (3/4" - 10 NC)	2
5	D 38052	STRAP - anchor, R.H.	1
6	D 38053	STRAP - anchor, L.H.	1
7	D 38061	BOLT - special (1-1/4" - 7 UNC x 3-3/4")	2
8	25- 1220	NUT - castle (1-1/4" - 7 UNC)	2
9	132- 157	PIN - cotter	2
10	D 37097	ROD - tension	2
11	25- 1116	NUT - hex. (1" - 14 NF)	2
12	D 33773	NUT - star	2
13	D 33816	PIN - 1-1/4" dia.	2
14	D 26918	RING - retaining	2
15	D 38068	PIN - anchor	4
16	D 33805	PIN - klik	2
17	113- 639	HHCS - 5/8" - 11 NC x 8" long	2
18	192- 165	WASHER - lock (5/8") SAE heavy	8
19	129- 561	NUT - hex. (5/8" - 11 NC)	8
20	O 3658	CH RING - retaining	8
21	95- 10	WASHER - plain (5/8")	2
22	92- 10	WASHER - med. sect. lock (5/8")	2
23	25- 1010	NUT - hex. (5/8" - 11 UNC)	2

## MOUNTING PARTS FOR MODEL 32-S BACKHOE (WITHOUT P.T.O. OR DRAFT-O-MATIC)

REF.	PART NO.	DESCRIPTION	REQ'D.
1	D 37094	ARM - support, R.H.	1
2	D 37093	ARM - support, L.H.	1
3	13- 1296	HHCS - 3/4" - 10 NC x 6"	1
4	131- 357	NUT - lock (3/4" - 10 NC)	2
5	D 38052	STRAP - anchor, R.H.	2
6	D 38053	STRAP - anchor, L.H.	1
7	D 38061	BOLT - special (1-1/4" - 7 UNC x 3-3/4")	1
8	25- 1220	NUT - castle (1-1/4" - 7 UNC)	2
9	132- 157	PIN - cotter	2
10	D 37097	ROD - tension	2
11	25- 1116	NUT - hex. (1" - 14 NF)	2
12	D 33773	NUT - star	1
13	D 33816	PIN - 1-1/4" dia.	2
14	D 26918	RING - retaining	2
15	D 38068	PIN - anchor	4
16	D 33805	PIN - klik	2
17	113- 639	HHCS - 5/8" - 11 NC x 8" long	2
18	192- 165	WASHER - lock (5/8") SAE heavy	8
19	129- 561	NUT - hex. (5/8" - 11 NC)	8

